

Question	Response
Are you just adding to your existing environment or is this a complete refresh of your network?	This is a replacement of existing equipment
How much equipment will remain that's already in operation to be integrated with, vs. fully being replaced by the equipment in this RFP?	This bid represents about 10% of existing network equipment
Is there already enough rack mounting space of the correct size and depth that will hold all requested equipment?	Yes
How many IDF/MDF locations will be getting the requested equipment?	Two
Are all existing VLANs and wireless networks defined and already implemented in gateway devices and existing switches, or is configuring existing equipment part of the project?	The MSD of Wayne will be responsible to install and configure the new equipment
For the access point requested, is there currently a wireless solution in place?	Yes, in most cases
Are the access points controller by a controller or are they standalone?	WAP will all be managed by our existing Cisco controllers and Prime Infrastructure.
For access point installation: Are there current ethernet runs available? Are the install locations reachable by a 10ft ladder?	All data locations currently exist.
Is the networking equipment for BDU only?	No. It's for two buildings (BDU & BDH).

Is the core and edge equipment Cisco?	Yes
What percentage of the network is being upgraded?	15%
What are the edge devices for?	Classrooms we've added to district.
Can we submit alternatives?	Yes
What is the implementation target time?	Summer 2022
Will the order be placed immediately or wait for USAC approval?	Wait for USAC approval